Hareware preparation before calibration



Goal: Confirm the conditions of the calibration bar in the lifting machine.mark it. (tools: chalk, tape measure) Steps are as follows:

Step1:

1) Confirm the conditions of the camera beam and lift .

2) Distance between the camerabeam and the lift should be 1500mm~2500mm.

3) The best distance between the front calibration bar and the rear calibration bar is 2700 mm.



Step 4: 1)The distance of lift and calibration bar is: (A - L3)/2 = C=C1=C2. 2)Confirmed line C1 and line C2 on the front wheel turntable.



Step5:

1) in the corner of C vertical line G1, intersection point a.??
 2) the method of fing point B on the right side turnable are the same)



Step 6:

L3 translation 2700 mm to L4. Determine the position of point c and d in the rear calibration bar.







Calibration

Attation: Make sure the camera is working.

1. Double click calibration (xp) exe.icon.



2. Find **A-calibration folder** and **B-calculate folder** showed in the interface. As follow:



3. Input **dongle** to **USB** port in computer.



4. Double click A-calibration folder. As follow:



5. Backup config.ini to other folder, save it. Then copy this **config.ini** document to **A-calibration** folder.

Irganize Share with	 New folder 			
Favorites	Name	Date modified	Туре	Size
E Desktop	CAMMODEL	12/22/2014 2:30 PM	File folder	
Downloads	🔒 KSJLogFolder	1/16/2015 1:55 PM	File folder	
🔛 Recent Places	🗼 MINI	1/3/2015 8:17 AM	File folder	
	& A-Calibration	11/15/2014 3:49 AM	Application	6,626 K
Libraries	AlignerCalDbCamRtAPI.dll	7/4/2014 5:07 PM	Application extens	34 K
Documents	config	1/16/2015 1:56 PM	Configuration sett	5 K
J Music	HXCorrectColor.dll	11/7/2014 3:46 PM	Application extens	72 K
Pictures	KSIApi.dll	11/7/2014 3:13 PM	Application extens	912 K
🛃 Videos	Microsoft.VC90.CRT.manifest	11/6/2007 7:24 PM	MANIFEST File	1 K
	MINI	12/31/2014 4:19 PM	Text Document	1 K
Computer	🚳 msvcm90.dll	11/6/2007 7:23 PM	Application extens	220 K
🚢 Local Disk (C:)	🗟 msvcp90.dll	11/7/2007 12:19 AM	Application extens	556 K
👝 Local Disk (D:)	🚳 msvcr90.dll	11/7/2007 12:19 AM	Application extens	641 K
👝 Local Disk (E:)	myDbCamA.dll	12/20/2014 3:34 AM	Application extens	3,786 K
👝 Local Disk (F:)	imyObCamA-old.dll	11/17/2014 5:31 AM	Application extens	3,786 K
Removable Disk (G:)	opencv_calib3d230.dll	7/3/2011 4:50 PM	Application extens	792 X
LAWRENCE-3D (H:)	opency_core230.dll	7/3/2011 4:49 PM	Application extens	1,664 K
	opencv_features2d230.dll	7/3/2011 4:50 PM	Application extens	914 K
Network	opency_flann230.dll	7/3/2011 4:49 PM	Application extens	31 K
	opencv_highgui230.dll	7/3/2011 4:50 PM	Application extens	868 K
	opency_imgproc230.dll	7/3/2011 4:50 PM	Application extens	1,542 K
	🚳 tbb.dll	5/10/2011 2:28 AM	Application extens	201 K
	🗟 vcomp120.dll	11/7/2014 3:46 PM	Application extens	117 K

Attention:

The lawrence program can work in the computer systems of windows xp, windows 7 and windows 8 computer systems. For windows 7 and windows 8 computer systems,run as administrator is required.(right clip A-calibration ,choose run as administrator)

7. Double click A-calibration.exe. Icon. Input password: 10086.



8. Choose the suitable target type, enter set to continue.



9. Choose the suitable **COM port**.

How to confirm COM port?

Method 1:Desktop-right clip-choose device manager-find COM PORT to comfirm the COM PORT number.

Method 2: Check the **config.ini** to find **com=COM***,the *****is the COM PORT number.



10. Take the calibration bar to the comfirmed position.(L4). Enter **setup** to check target picture in the software. If it is clear, enter **star for** next step.



11,

Attation:

1) The interface will show red, green, blue line on the camera picture on the screen.

2) "Beep" sound means it can goes to next step.

3) 20 $^{\circ}$ yellow arrow mark means the degree need to roated.

14,

1) The interface will show red, green, blue line on the camera picture on the screen.

2) 20° yellow arrow mark means the degree need to be roated.

3) Roate calibration bar backward to $19.70^{\circ} \sim 20.30^{\circ}$, software will grasp the picture automatically.

4)"Beep"sound means it can goes to next step.

Black data means the degree on thecalibration bar rotaed.

Red data means the range value (19.70° ${\sim}20.30^\circ$) .

Attention:

1) Roate calibration bar backward to $19.70^{\circ} \sim 20.30^{\circ}$, software will grasp the picture automatically.

2)"Beep"sound means it can goes to next step.

If software can't take picture automatically, you can enter **get** to next step. Reasons for cannot grasp automatically: There are continuous vibration source surronded.



Key point: both hanads graps the bar to rotae the bar stably and smoothly.



Attention:

1. Roat calibration bar forward to $19.70^{\circ} \sim 20.30^{\circ}$, software will grasp the picture automatically.

2. "Beep"Voice means can goes to next step.



12. According to actual situation to choose the distance between front and real. Note:L1=L2. Then enter **next** for next step.



13.Dismount the target, and move the calibration bar to rear position.2700mm from the front.then enter **next** to next step.

Dismount the target. And the parallel translation the calibration bar from front to rear position where marked before .

2 Doing		3D Calibrat	3D Calibration Program		
XXX		R	4		
		Choose CC The Brightne L: 02 ·	DM: COM8 · ess of IR LED: R: 02 ·		
		201309 Setup	Set Get		

Attation:







14,

2) The interface will show red, green, blue line on the camera picture on the screen.

2) 20° yellow arrow mark means the degree need to be roated.

3) Roate calibration bar backward to $19.70^{\circ} \sim 20.30^{\circ}$, software will grasp the picture automatically.

4)"Beep"sound means it can goes to next step.



15. Roate calibration bar forward to $19.70^{\circ} \sim 20.30^{\circ}$, software will grasp the picture automatically.

"Beep"sound means it can goes to next step.



16. Finish roating, you can find word:Completed. Means finish. Enter exit.



17. Find document config.ini in A-calibration. If you can find the data in last line as follow, means the calibration finished.

1. Double click open B - calculate files. Copy the new congfig.ini document to B -calculate.

2 220 11	Name	Date modified	Type	Size
Favorites	IR course			
Desktop	16MM	1/3/2015 8:46 AM	File folder	
Downloads	Jan minil2MM	12/31/2014 4:21 PM	File folder	1000
Recent Places	AlignerAPI.dll	5/31/2014 9:03 PM	Application extens	133 KB
Disastas	AlignerCalDbCamRtAPI.dll	6/3/2014 7:56 AM	Application extens	36 KB
Libraries	B-Calculate	10/30/2014 7:40 AM	Application	4,786 KB
Documents	bdtx	6/14/2015 9:29 PM	Application	4,786 KB
I Music	e config	1/16/2015 1:48 PM	Configuration sett	4 KB
Pictures	myUbB.dll	10/30/2014 4:37 AM	Application extens	3,778 KB
videos	myDbCam65.dll	5/31/2014 9:20 PM	Application extens	35 KB
C	opency_calib3d230.dll	7/3/2011 4:50 PM	Application extens	792 KB
Computer	opency_core230.dll	7/3/2011 4:49 PM	Application extens	1,664 KB
Local Disk (C:)	opency_testures2d230.dll	7/3/2011 4:50 PM	Application extens	914 KB
Local Disk (D:)	opency_flann230.dll	7/5/2011 4:49 PM	Application extens	31 KB
Local Disk (E)	opency_highgui230.dll	7/3/2011 4:50 PM	Application extens	868 K8
Bemeuntele Dist (C)	opency_imgproc230.dll Section difference	7/3/2011 4:50 PM	Application extens	1,542 KB
Removable Disk (G:)	SentinelKeyW.DLL	6/22/2010 1:38 AM	Application extens	2,893 KB
Network		ALMACOLL CLED MM	Аррисации следани	201 10

2. Change the **Dongle** for **Calibration Dongle**.



3. 1) Double-click to open the **B** - **calculate.exe.** Icon (if use windows 7 and window8,must operate as an administrator)

2) Enter **calculate**, you can find word"Waiting"On the top left corner, means software is caculating.

Bkh(2014)			×
F.L.Camber		F.L.Camber	
R.L.Camber		R.R.Camber	
	F.TOE	1	
	R.TOE		
remain 78 DOC	LLS		
	~	\frown	
	\subset	calculate close	

and the second sec		-	×
F.L.Camber		F.L.Camber	
R.L.Camber		R.R.Camber	
	F.TOE R.TOE		
remain 78 DOG	i LLS		
	\subset	calculate close	
\sim			X
waiting			
F.L.Camber		F.L.Camber	
F.L.Camber R.L.Camber		F.L.Camber R.R.Camber	
F.L.Camber R.L.Camber	F.TOE R.TOE	F.L.Camber R.R.Camber	
F.L.Camber R.L.Camber remain 78 DOG	F.TOE R.TOE i LLS	F.L.Camber R.R.Camber	

4. When you find "**Ok**"On the top left corner, means finish calculate. Enter **close** to exit.

ok	81	A spense alleged			23
1	F.L.Camber	0.0000	F.L.Camber	0.0000	
	R.L.Camber	2 00144604	R.R.Camber	25.25499725	
		EBDB	0.0000	i.	
		ok	4.20790297		
	remain 77 D	IOG			
		ОК		-	
			close		

remain 77 DOG means still can make calibration 77 times.

5. In B-calculate file, check the calibration time in the config.ini. For example, if you find the calibration time **initdate=2015/6/25 18:35:25**, calculate finished.

6. Then copy the final **config.ini** to the original software package folder. All is finished.



END